

HENRII



Simone No.2

INSTALLATION INSTRUCTIONS

HENRII.COM - 323-205-6477 - SERVICE@HENRII.COM

EN: CAUTION

Electrical shock risk. Turn off electrical power at main circuit panel before beginning installation or servicing.
We recommend working with a qualified electrician to ensure proper installation.

FR: ATTENTION

Risque de choc électrique. Coupez l'alimentation électrique au niveau du tableau principal avant de commencer l'installation ou l'entretien. Il est recommandé de faire appel à un électricien qualifié pour garantir une installation correcte.

ES: ATENCIÓN

Riesgo de descarga eléctrica. Desconecte la energía en el panel principal antes de comenzar la instalación o el mantenimiento. Se recomienda contar con un electricista calificado para garantizar una instalación adecuada.

IT: ATTENZIONE

Rischio di scossa elettrica. Spegner l'alimentazione elettrica al quadro principale prima di iniziare l'installazione o la manutenzione. Si consiglia di rivolgersi a un elettricista qualificato per garantire un'installazione corretta.

JP: 注意


電気ショックの危険があります。設置または点検を始める前に、メイン配電盤で電源を切ってください。正しい設置を確実にするため、資格を有する電気技術者に依頼することを推奨します。

KR: 주의


전기 충격 위험이 있습니다. 설치 또는 점검을 시작하기 전에 메인 전기 패널에서 전원을 차단하십시오. 적절한 설치를 보장하기 위해 자격을 갖춘 전기 기술자의 도움을 받으시기 바랍니다.

HENRII appreciates your selection. Kindly verify that all components depicted in the enclosed guide are present. In the infrequent event of any omission, immediate notification is requested. The fixture is constructed for enduring service when maintained appropriately. For further inquiries, direct correspondence to service@henrii.com.


INCLUDED COMPONENTS




Lampbody




E26/E27 Lightbulb



Wago (x3)




8-32 Lampbody Mounting Bolts (x2)
for USA Junction Box



I.

Connect Lampbody to corresponding wires with included wire connectors (Wago).
Black (Live), White (Neutral) and Ground (Green)




USA

Use provided 8-32 Flathead bolts to mount Lampbody to junction box.


INTERNATIONAL

The client is responsible to ensure the Lampbody is secure to the structural substrate. We recommend working with a qualified professional familiar with the type of work being installed.



I.
Once Lampbody is secure, install provided bulb. Secure Lampshade over bulb with
Lampshade Nut

II.
Secure Lampshade over bulb with Lampshade Nut



HENRII

1651 S CENTRAL AVE., STE H
GLENDALE, CA 91204

SERVICE@HENRII.COM
+1 323-205-6477

WWW.HENRII.COM